


## HIROSHIMA / SIDE TABLE

This cute lightweight wood side table can be easily matched with your sofa or lounge chair. Made small with special attention to its balance and structure, this side table looks beautiful from any angle, and its innovative design provides easy and comfortable use.




## DESIGN



NAOTO FUKASAWA , 2009


## MATERIAL & FINISH

### beech



NL-0  
whitish

### oak



C-0  
clear

NL-0  
whitish

NK-1  
natural black

### walnut



C-0  
clear

WB-1  
light brown

## WARRANTY

We will guarantee the product for two years from the date of delivery of the product. For the content of quality assurance please see the "Warranty Policy" included in the product.

## TESTS

ISO8019.2 / Vertical fatigue test

## TECHNICAL INFORMATION

### WOOD

The wood used in this product is obtained from beech trees in Europe and oak or walnut trees in North America that are managed and felled in a planned manner. If required, we can manufacture furniture with the FSC® or PEFC™ certification. In that case, however, a longer lead-time will be required to procure the wood.

### TABLETOP

The top and bottom boards are veneered and the core is plywood. The tabletop of the side table is 20 mm thick, and the end table is 30 mm thick.

### VOC

The coating, glue, plywood, and MDF used here reduce VOC emissions in manufacturing processes and finished products. These materials have been tested for formaldehyde emissions in accordance with the ISO12460 standard and confirmed not to exceed the 0.4 mg/l emission level.


## PURPOSE OF USE

Indoor

Maruni Wood Industry has established various test standards and designs for comfortable use. However, the use of products beyond the expected scope can lead to cracking and snapping of wood parts. There are several things you should keep in mind in order to properly preserve the product and continue using it for a long time. Therefore, be sure to read the instruction manual beforehand.



SIDETABLE



ENDTABLE

