

T&O / TABLE

Tables of the T&O Series definitely make a friendly impression. You can choose a veneer or solid wood tabletop. A varied lineup of sizes and shapes are provided in consideration of the wide variety of interior spaces. Please look for your desired size. Similar to the chairs, you can choose black, green or red for the color of the steel legs supporting the tabletop.



DESIGN



JASPER MORRISON , 2017

"The familiar typology and the contrast of wood and painted steel are an excellent fit with both T&O family and other variations of chairs from the Maruni Collection."

MATERIAL & FINISH

maple



C-0
clear

oak



C-0
clear

NL-0
whitish

ash



NL-0
whitish

steel



black

green

red

WARRANTY

We will guarantee the product for two years from the date of delivery of the product. For the content of quality assurance please see the "Warranty Policy" included in the product.

TESTS

ISO21016-6.1.1 / Stability under vertical load
 ISO21016-6.2 / Strength under vertical static force
 ISO7172-6 / Stability with vertical and horizontal forces
 ANSI NIFMA X5.5 / Stability

TECHNICAL INFORMATION

WOOD

The wood used in this product is obtained from maple, oak or ash trees in North America that are managed and felled in a planned manner. If required, we can manufacture furniture with the FSC® or PEFC™ certification. In that case, however, longer lead-time will be required to procure the wood.

STEEL

The supporting rod and both upper and lower disk-shaped legs are made of steel. The lower surface layer of the disk-shaped leg on the ground is processed with the cationic electrodeposition coating method and then finished with the powder-coating method.

FLOOR PROTECTOR

The supporting rod and both upper and lower disk-shaped legs are made of steel. The lower surface layer of the disk-shaped leg on the ground is processed with the cationic electrodeposition coating method and then finished with the powder-coating method.

VOC

The coating, glue, plywood, and MDF used here reduce VOC emissions in manufacturing processes and finished products. These materials have been tested for formaldehyde emissions in accordance with the ISO12460 standard and confirmed not to exceed the 0.4 mg/l emission level.

PURPOSE OF USE


Indoor

Maruni Wood Industry has established various test standards and designs for comfortable use, however, use of products beyond the expected scope can lead to cracking and snapping of wood parts. There are several things you should keep in mind in order to properly preserve the product and continue using it for a long time. Therefore, be sure to read the instruction manual beforehand.



Photo by Nacása & Partners Inc.

ROUND TABLE 63
(veneered top)



ROUND TABLE 90
(veneered top or solid wood top)






TABLE 70
(rectangular, veneered top)



ROUND BAR TABLE 63
(veneered top)



COFFEE TABLE 90
(veneered top or solid wood top)




TABLE 180, 200, 240
 (rectangular, veneered top or solid wood top)

