# Tako / ARMCHAIR

The beautiful Tako armchair with dynamic curves looks as if it was carved out of wood just like a sculpture. The flow of its lines that links the backrest to the legs and the round shape of the seat gently wrap around your body. In addition to being a dining chair, Tako also works great as a lounge chair.





## DESIGN



### NAOTO FUKASAWA, 2020

Now, there are certain shapes that have become feasible to be created, because of application of highly developed processing techniques of cutting out solid wood, by using a CNC machine. It was difficult to manufacture a wooden chair by working in all the three dimensions together, for a long time. I wanted to implement a three-dimensional free-form curve into a mass producible wooden chair, but not by using the traditional wood bending techniques. This chair can showcase the shape, which was earlier only possible by handcrafting it piece by piece, in solid wood. A chair that goes well with a glass of wine or a white tablecloth, is something that first came to my mind! The chair has turned out into a form like that of an octopus, so I named it Tako". I didn't intend to actually design an octopus-like shape. "

# **MATERIAL & FINISH**



#### walnut



## WARRANTY

We will guarantee the product for two years from the date of delivery of the product. For the content of quality assurance please see the "Warranty Policy" included in the product.

## TESTS

ISO7173-L4 / Determination of strength and durability ISO7174 / Determination of stability

## **TECHNICAL INFORMATION**

#### WOOD

The wood used in this product is obtained from oak or walnut trees in North America that are managed and felled in a planned manner. If required, we can manufacture furniture with the FSC® or PEFC<sup>™</sup> certification. In that case, however, a longer lead-time will be required to procure the wood.

#### UPHOLSTERY

The armchair seat is made of a flame resistant polypropylene injection sheet combined with molded urethane. The seat cushion is detachable and can be replaced if it worn out.

#### VOC

The coating and glue used here reduce VOC emissions in manufacturing processes and finished products. These materials have been tested for formaldehyde emissions in accordance with the ISO12460 standard and confirmed not to exceed the 0.4 mg/l emission level.

## FLAME RESISTANCE

The product uses foam and materials that meet the requirements of BS5852 Source 5 as a standard feature.

# PURPOSE OF USE

#### Indoor

Maruni Wood Industry has established various test standards and designs for comfortable use. However, the use of products beyond the expected scope can lead to cracking and snapping of wood parts. There are several things you should keep in mind in order to properly preserve the product and continue using it for a long time. Therefore, be sure to read the instruction manual beforehand.



